

Flueboss® by Rodstation, the powersweeping system of choice for professionals









Contact us today on **01446 500695**

sales@rodstation.co.uk www.rodstation.co.uk













Rodstation have been awarded entry into the Guild of Master Craftsmen, which is another recognition of our commitment to produce our range of sweeping rods and bristle brushes to the highest standards of quality and service.



Standard stock products can usually be delivered the next working day after accepting orders by midday. Other orders by quotation.

Wide range of products

We stock a comprehensive range of rods and brushes suitable for cleaning most types of flues and others.

No order is too small


If you just need an adaptor or a brush please contact us.

Fully equipped workshop

If you require a bespoke fitting or brush give us a call.

🔼 Call us today on

01446 500695 or email sales@rodstation.co.uk



Page	Contents
4	Flexible Chimney Sweeping Rods & Kits
5	Traditional Chimney Sweeping Kits
6/7	Soft to Extra Hard Bristle Brushes
8	Rigid Rods & Adaptors
9	Chimney Clearing Tools
10	Wire Brushes & Flat Scaper Brushes
11	Flue Brushes & Coring Balls
12-15	FlueBoss® Colourcoded Powersweeping Kits
16/17	FlueBoss® Powersweeping Heads
18/19	FlueBoss® Adaptors and Scrapers
20/21	FlueBoss® Colourcoded Powersweeping Rods
22	Powersweeping Half Rods
23	FlueBoss® Colourcoded Rods Features & Specifications
24/25	FlueBoss® Mini
26/27	FlueBoss® Power Brushes
28	HD Camera Kit - 8 LED
29	Superbright HD Camera Kit
30	Wireless Inspection Camera Kit
31	Fire Safety and Maintenance Products
32/33	Chimney Sweep Accessories
34	DustControl
35	Chimney Notice Plates & CO Alarms

RodStation rods and brushes are approved by national chimney companies including:









Flexible Rods Designed for sweeping insulated metal

chimneys and flexible flue liners

Key features

Affordable flexible rods made by us in Britain using flexible 12mm diameter rod for added strength and durability. Our superflexy 8mm nylon rods are ideal for sweeping tight 90° bends, and can also be used as a 'lead' rod with flexible 12mm rods.

High quality solid brass screw ends with ½" Whitworth screw fitting featuring chamfered edges to minimise risk of damaging flexible liners.





Description	Product Code
1m Flexible Liner Rod	FR01
1.5m Flexible Liner Rod	FR015
2m Flexible Liner Rod	FR02
1m Superflexy Rod	FRSF01
1m Rod Bag	FRB100
1.5m Rod Bag	FRB150

Flexible Liner Sweeping Kits



Description	Product Code
10m Rod Pack 5" Soft Brush	FSK01
10m Rod Pack 6" Soft Brush	FSK02
10m Rod Pack 7" Soft Brush	FSK03
10m Rod Pack 8" Soft Brush	FSK04
10m Rod Pack 5" Medium Brush	FSK01M
10m Rod Pack 6" Medium Brush	FSK02M
10m Rod Pack 7" Medium Brush	FSK03M
10m Rod Pack 8" Medium Brush	FSK04M

Traditional Sweeping Kits







Flexible chimney liner sweeping kit with assortment of Soft

Bristle Brushes

Kit Contents

1 x Heavy Duty Rod Bag

12 x 1 metre flexible liner rods (1/2" Whitworth)

1 x 5" Soft bristle brush

1 x 6" Soft bristle brush

1 x 7" Soft bristle brush

1 x 8" Soft bristle brush



Description	Product Code
12m Rod Kit with 5,6,7,8" brushes and heavy duty NACS Rod Bag	KNACSF01
12m Rod Kit with 5,6,7,8" brushes and heavy duty Guild Rod Bag	KGUILDF01
12m Rod Kit with 5,6,7,8" brushes and heavy duty Rod Bag with Rodstation logo only	KRODF01

Masonry chimney sweeping kit with assortment of Medium Bristle brushes

Kit Contents

1 x Heavy Duty Rod Bag

15 x 90cm (3ft)rigid liner rods (3/4" Universal)

1 x 5" Medium bristle brush

1 x 6" Medium bristle brush

1 x 7" Medium bristle brush

1 x 8" Medium bristle brush

1 x 14" Medium bristle brush



Description	Product Code
13.5m Rod Kit with 5,6,7,8,14" brushes and heavy duty NASC Rod Bag	KNACSR01
13.5m Rod Kit with 5,6,7,8,14" brushes and heavy duty Guild Rod Bag	KGUILDR01
13.5m Rod Kit with 5,6,7,8,14" brushes and heavy duty Rod Bag with Rodstation logo only	KRODR01

Bristle Brushes



Soft bristle brush - White

Soft bristle brush with protective ball end and Whitworth $\frac{1}{2}$ " male end screw fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBS5U

Brush Diameter inches/mm	Product Code
4"/100mm	FBS4
5″/125mm	FBS5
6″/150mm	FBS6
7″/180mm	FBS7
8″/200mm	FBS8
10"/250mm	FBS10
12"/300mm	FBS12
14"/350mm	FBS14



Medium bristle brush - Orange

Medium bristle brush with protective ball end and Whitworth $\frac{1}{2}$ " male end fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBM5U

Diameter inches/mm	Product Code
4"/100mm	FBM4
5"/125mm	FBM5
6"/150mm	FBM6
7″/180mm	FBM7
8"/200mm	FBM8
10"/250mm	FBM10
12"/300mm	FBM12
14"/350mm	FBM14

For brushes with a ¾" universal fitting (to fit drain rods), use 'U' after the code, ie. FBM6U. Universal brushes do not have the ball top fitted as standard. (Price same as FBM6)





RodStation offers a great choice of brushes

For sweeping insulated metal chimneys and flexible liners with 1/2" Whitworth rods. For masonry chimneys the $\frac{3}{4}$ " Universal brushes are used with rigid rods. Ball end brushes fitted to brushes with $\frac{1}{2}$ " Whitworth fitting only.



Hard bristle brush - Grey

Medium bristle brush with protective ball end and Whitworth ½" male end fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBH5U

Diameter inches/mm	Product Code
5"/125mm	FBH5
6"/150mm	FBH6
7″/180mm	FBH7
8"/200mm	FBH8
10"/250mm	FBH10
12"/300mm	FBH12
14"/350mm	FBH14
16"/400mm	FBH16
18"/450mm	FBH18
20"/500mm	FBH20



Extra hard bristle brush - Black

Extra hard bristle brush with protective ball end and Whitworth ½" male end fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBH5U

Diameter inches/mm	Product Code
5″/125mm	FBXH5
6″/150mm	FBXH6
7″/180mm	FBXH7
8"/200mm	FBXH8
10"/250mm	FBXH10
12"/300mm	FBXH12
14"/350mm	FBXH14
16"/400mm	FBXH16
18"/450mm	FBXH18
20"/500mm	FBXH20
22"/560mm	FBXH22
24"/610mm	FBXH24

Require a
BESPOKE
BRUSH?
Give us a call to discuss
your requirements.



Rigid Rods

Designed for sweeping masonry and pumice chimney liners



Item	Description	Product Code
A	3ft ¾" diameter rigid sweeping rod	RR01
В	3ft 7/8" diameter rigid sweeping rod	RR02
C	3ft 1" diameter rigid sweeping rod	RR03
D	3ft ¾" diameter rigid cane sweeping rod	CR01
E	3ft 7/8" diameter rigid cane sweeping rod	CR02
F	3ft 1" diameter rigid cane sweeping rod	CR03

Adaptors

We stock a great range of adaptors to convert to various imperial or metric sizes. If you require a unique adaptor please contact us to discuss your requirements.



Item	Description	Product Code
A	1/2" Whitworth female to 3/4" Female	FRA01
В	1/2" Whitworth male to 1/2" Whitworth male	FRA02
C	1/2" Whitworth female to M10 Male	FRA03
D	1/2" Whitworth male to M10 Female	FRA04
E	¾" Female to M12 Male	FRA05
F	¾" Male to ½" Whitworth Female	FRA06
G	¾" Female to ½" Male	FRA07
Н	³ ⁄ ₄ " Female to M10 Female	FRA08
ı	1/2" Whitworth Male to M10 Male	FRA09
J	1/2" Whitworth Male to M12 Male	FRA10
K	1/2" Whitworth Male to M12 Female	FRA11
L	1/2" Whitworth Female to M12 Male	FRA12
М	¾" Female to M12 Female	FRA13
N	Rodtech to 1/2" Whitworth	FRA14
0	Snaplock to 1/2" Whitworth	FRA15
P	Universal Lockfast 1/2" Whitworth	FRA16

Chimney Clearing Tools ROD TATION CHIMNEY RODS & BRUSHES



We stock a range of tools ideal for clearing chimneys and removing birds nests





ltem	Description	Product Code
F	Chisel ¾" Universal Fitting	RRC01
G	Harpoon ¾" Universal Fitting	RRH
Н	Retrieval Tool ¾" Universal Fitting	RRT
I	Single Nest Hook ¾" Universal Fitting	RRNHS
J	Double Nest Hook ¾" Universal Fitting	RRNHD
K	Double Nest Hook XL Universal Fitting	RRNHD01

Wire Brushes

Ideal for use in heavily tarred ceramic flue pipes, pre-cast sectional chimneys and brick chimneys

Fitted with universal 3/4" fittings

Description
Product Code
Wire Brush 100mm (4")
RW04
Wire Brush 150mm (6")
RW06

Wire Brush 100mm (4")	RW04
Wire Brush 150mm (6")	RW06
Wire Brush 200mm (8")	RW08
Wire Brush 230mm (9")	RW09
Wire Brush 300mm (12")	RW12
Wire Brush 400mm (16")	RW16

Flat Scraper Brush

For use in ceramic and brick chimneys with heavy soot and tar deposits where a scraping action is required.


Fitted with universal 3/4" fittings



Description	Product Code
Flat Scraper Brush 100mm (4")	RSB04
Flat Scraper Brush 150mm (6")	RSB06
Flat Scraper Brush 200mm (8")	RSB08
Flat Scraper Brush 300mm (12")	RSB12

Flue Brushes

For deaning flues and airways in hard to reach areas and range cookers




ltem	Description	Product Code
Α	Flue Brush 50 x 915mm	FLUE 1/2
В	Flue Brush 100 x 1220mm	FLUE 4
С	Flue Brush 100 x 1525mm	FLUE 5
D	Flue Brush 125 x 1800mm	FLUE 6
E	Flue Brush 7 Piece Set 50mm Brush	FLUE7
F	3 Piece Flue Brush Set	FLUE8

Coring Balls

Coring balls are ideal for clearing obstructions in the chimney prior to installation of a flexible liner

Constructed in solid steel and zinc plated to prevent rusting. Each ball includes a 14m length of rope. Must be used with care to avoid damaging the flue or chimney.











RODS & BRUSHES



Description	Product Code
Coring Ball 100mm (4")	CORS01
Coring Ball 125mm (5")	CORS02
Coring Ball 150mm (6")	CORSO3
14 metres Heavy Duty Rope	RPE01
Coring Ball Set (4,5,6" & 14m Rope)	CORS123

FlueBoss® Colourcoded Powersweeping Kits

Biomass Power Kit

Kit Contents Qty
1 metre 8mm Superflexi rods 10
Drill Connector 1
FlueBoss Nylon Extra Small 1
FlueBoss Cable extra small 1
Replacement Nylon (metres) 3
Rod Bag - Heavy Duty 1
FREE large van sticker 1
FREE Allen Key 1



Require a
BESPOKE KIT?
Give us a call to
discuss your
requirements.

Description	Product Code
Liner Power Kit	PSK11SB

Extra Flexible Liner Power Kit

Kit Contents	Qty
1 metre 10mm Flexi rods	10
Drill Connector	1
FlueBoss Nylon Small	1
Replacement Nylon (metres)	3
Rod Bag - Heavy Duty	1
FREE large van sticker	1
FREE Allen Key	1



Description	Product Code
Extra Flexible Kit	PSKS01SB

Liner Power Kit

Kit Contents	Qty
1 metre 12mm Flexi rods	10
Drill Connector	1
FlueBoss Nylon Small	1
Replacement Nylon (metres)	3
Rod Bag - Heavy Duty	1
FREE large van sticker	1
FREE Allen Key	1



Description	Product Code
Liner Power Kit	PSK01SB

FlueBoss® Colourcoded Powersweeping Kits

Ceramic Liner Power Kit

Kit Contents	Qty
1 metre 14mm Flexi rods	10
Drill Connector	1
FlueBoss Nylon Large	1
Cable Loop Large	1
Replacement Nylon (metres)	3
Rod Bag - Heavy Duty	1
FREE large van sticker	1
FREE Allen Key	1



Description	Product Code
Ceramic Liner Kit	PSKC01SB

Masonry Kit

Kit Contents	Qty
1 metre 16mm Flexi rods	10
Drill Connector	1
FlueBoss Nylon Large	1
FlueBoss Nylon (m)	3
Power Chain Large	1
Rod Bag - Heavy Duty	1
FREE large van sticker	1
FREE Allen Key	1



Description	Product Code
Masonry Kit	PSKM02SB

Open Fire Kit

Kit Contents	Qty
1 metre 18mm Rigid rods	10
Drill Connector	1
FlueBoss Nylon Large	1
Replacement Nylon (metres)	3
FlueBoss Nylon Shaft	1
Power Chain Large	1
Single angled scraper	1
Rod Bag - Heavy Duty	1
FREE large van sticker	1
FREE Allen Kev	1



Description	Product Code
Open Fire Power Kit	PSK02SB

FlueBoss® Colourcoded Powersweeping Kits



Kit Contents	Qty
1 metre 12mm Flexible rods	10
1 metre 18mm Rigid rods	10
Drill Connector	1
FlueBoss Nylon Small	1
FlueBoss Nylon Large	1
FlueBoss Nylon Shaft	1
Replacement Nylon (metres)	3
Power Chain Large	1
Single angled scraper	1
Twin angled scraper	1
FREE Rod Bag - Heavy Duty	2
FREE large van sticker	1
FREE Allen Key	1

Description	Product Code
Full Power Kit	PSK03SB

Professional Kit Kit Contents Qty 1 metre 12mm Flexible rods 10 1 metre 16mm Flexible rods 10 1 metre 18mm Rigid rods 10 1 metre 8mm Superflexible rods 2 1 metre 20mm Aluminium rods 2 **Drill Connector** FlueBoss Nylon Small FlueBoss Nylon Large FlueBoss Nylon X-Large FlueBoss Nylon Shaft Replacement Nylon (metres) **Power Chain Small** Power Chain Large Flueboss Chain Shaft FlueBoss Cable Small FlueBoss Cable Large Liner Breaker Small Single Angle Scraper TwinAngle Scraper FREE Rod Bag - Heavy Duty FREE large van sticker FREE Allen Key FREE Whitworth and Universal Adaptor Description **Product Code** Professional Kit PSKP01SB

FlueBoss[®] Colourcoded Powersweeping Kits





Ceramic Liner Breaker Kit

Kit Contents	Qty
1 metre 20mm Rigid rods S/Steel	10
Drill Connector S/Steel Button	1
Small Breaker	1
Large Breaker	1
Power Hammer	1
Rod Bag - Heavy Duty	1
FREE large van sticker	1
FREE Allen Key	1



Description	Product Code
Ceramic Liner Breaker Kit	PSK04SB

FlueBoss® Powersweeping Heads

Key features

- FlueBoss® has a unique and easy to use mechanism to hold PowerSweeping nylon with many key advantages. (UK Patent No.2538585, US Patent No 10415826, European Patent Application No.16170220.4)
- A quick turn of the grub screw under the boss secures the nylon and protects the screw when sweeping.
- Simply push the nylon through the securing holes which saves time compared to taking discs apart or bending strands to fit in curved channels.
- The design allows the nylon to go up or down to suit different flue conditions.
- British made FlueBoss® is produced to high standards and features a domed head to assist easy passage in the flue with reduced risk of snagging flue liners.
- Robust copolymer flexible rods and rigid rods have colour anodised push fit ends for greater durability
- Quick "push-fit" connectors using push buttons giving time proven security and easy release (EU and US Copyright design)
- · Wide range of adaptors, connectors and powerbrushes

Description	Product Code
FlueBoss Nylon Biomass 15cm	PSN11SB
FlueBoss Nylon Small 30cm	PSN01SB
FlueBoss Nylon Large 50cm	PSN02SB
FlueBoss Nylon Extra Large 60cm	PSN03SB
FlueBoss Nylon Shaft 30cm	PSN05SB
FlueBoss XXL 30cm (12")	PSN06SB
FlueBoss XXL 60cm (24")	PSN07SB
Power Chain Small 30cm	PSPC01SB
Power Chain Large 50cm	PSPC02SB
Power Chain Shaft 30cm	PSPC03SB
FlueBoss Chain XXL	PSPC04SB
FlueBoss Cable Small 30cm	PSC01SB
FlueBoss Cable Large 50cm	PSC02SB
FlueBoss Cable Loop Small 30cm	PSPCL01SB
FlueBoss Cable Loop Large 50cm	PSPCL02SB
FlueBoss Abrasive Small 30cm	PSAN01SB
FlueBoss Abrasive Large 50cm	PSAN02SB
Replacement Power Chain per m	PSRCH01
Replacement FlueBoss Nylon per m	PSRN01
Replacement Cable per m	PSRC01

FlueBoss Nylon

Replacement Nylon for use with FlueBoss head. Supplied in multiples of 1 metre.






FlueBoss Nylon Head XL with additional Nylon Shaft


FlueBoss XL Nylon is designed for larger flues where there can be more crevices and a higher build up soot deposits. Head Diameter 500mm.


The shaft can be used on larger diameter chimneys (head diameter 500mm) inbetween connecting rods or additionly with other power heads.



FlueBoss XXL Nylon

FlueBoss XXL Nylon is designed for larger flues where there can be more crevices and a higher build up soot deposits and is ideal for terminal cleaning and bird nest removal. Head Diameter 30 or 60cm (12" or 24")








FlueBoss Cable Head

For removing heavy deposits including bird nests and tar. Not suitable for metal chimneys or liners. Available in three sizes: Overall diameter when spinning is 300mm or 500mm. Cable can be replaced when worn. Also available in a cable 'loop'. Ideal for cleaning ceramic chimney liners.

Power Chain Head & Shaft

For removing heavy deposits including bird nests and tar. Not suitable for metal chimneys or liners. Available in two sizes. Overall diameter when spinning is 300mm or 500mm. Chain can be replaced when worn.

Power Chain Shaft can be used inbetween connecting rods or additionly with other power heads. Overall diameter when spinning is 500mm.



FlueBoss Abrasive Nylon

For use on masonry and clay liners. The abrasive grit is encapsulated in the nylon filament and is ideally used where extra abrasion is required to remove deposits (head diameter 300mm or 500mm).



Power Chain

Replacement chain for use with Power Chain head. Supplied in multiples of 1 metre.




FlueBoss Cable

Replacement cable for use with FlueBoss head. Supplied in multiples of 1 metre.





For removing heavy deposits including bird nests and tar, ideal for extra abrasion on glazed creosote and preventing chain wrapping around the lead rod. 40cm (16") overall diameter when spinning. Not suitable for metal chimneys or flexible chimney liners.



FlueBoss Nylon Head

Available in four sizes. Overall diameter when spinning is 150mm, 300mm, 500mm or 600mm. Nylon can be replaced when worn.





FlueBoss® Adaptors and Scrapers



Drill Adaptor

Used to connect suitable drill to Powersweeping rod. With flat shank.



Van Hanger

Suitable for securing brushes and heads to the interior of a van or wall.



Power Rod to Whitworth

For connecting power rods to Whitworth $\frac{1}{2}$ " rods and brushes.



Power Rod to Universal

For connecting power rods to standard universal 3/4".



Power Rod to M8

6

For connecting power rods to M8 rods and brushes.

7



Power Rod to M10

For connecting power rods to M10 rods and brushes.

8

Power Rod to M12

For connecting power rods to bespoke fittings (with bolt).



Adaptor for Twin Button System

For connecting to our twin button system.



Male Button to M8

Adaptor from male button lock to M8 thread.



Male Button to M10

Adaptor from male button lock to M10 thread.

13



Double Worm Screw

To assist removing birds nests or retrieving rods.

14/15



Nest Hooks

Ideal for removing birds nests. Single and double nest hooks.



Nest Claw

Heavy duty twin nest hook designed to assist removing birds nests and dislodging/breaking branches.



Branch Breaker

Heavy duty twin nest hook designed to assist removing birds nests and dislodging/breaking branches.



Rod Retrieval Tool

Retrieval tool to assist in retrieving chimney rods and birds nests.

ltem	Description	Product Code
1	Drill Adaptor Stainless Steel with shank	PSDA01SBS
2	Van Hanger	PSVA01SB
3	Whitworth Female Adaptor	PSWA01SB
4	Whitworth Male Adaptor	PSWAM01SB
5	Universal Male Adaptor	PSUA01SB
6	Power Rod to M8	PSA06SB
7	M10 Female Adaptor	PSA02SB
8	M12 Female Adaptor (with bolt)	PSA01SB
9	Adaptor Single to Twin Button	PSA04SB
10	Adaptor for Twin Button System	PSA03SB
11	Male Button to M8	PSDAM8
12	Male button to M10 thread	PSDAM10
13	Double Worm Screw	PSWS01SB
14	Single Nest Hook	PSSNHSB
15	Double Nest Hook	PSDNHSB
16	Nest Claw	PSNBSB
17	Branch Breaker	PSBBSB







Ideal for power sweeping and breaking apart birds nests, with a set of 15cm legs and allen key.



Rotating HandleFor manually rotating powersweeping rods.



21

27

Breaker Small100 x 100mm. Not suitable for metal chimneys or liners.



Breaker Large 100 x 150mm. Not suitable for metal chimneys or liners.

23



Breaker Large Offset 100 x 150mm. Not suitable for

metal chimneys or liners.



Pipe ScraperFor scraping inside of fluepipes and register plates, available in 3 sizes (125mm, 150mm & 180mm).



Single Angled ScraperFor scraping deposits off large solid masonry flues. Not suitable for metal chimneys or liners.




Twin Angled Scraper
For scraping deposits off large solid masonry flues. Not suitable for metal chimneys or liners.

32



Wheel Pipe Scraper





Power Hammer

Heavy duty power hammer for removal of terracotta/ clay liners.

To be used with 20 or 22mm diameter rods.

ltem	Description	Product Code
18	Rod Retrieval Tool	PSRRTSB
19	Nest Buster	PSNBCSB
20	Rotating Handle	PSBRHSB
21	Breaker Small100 x 100mm (4" x 4")	PSB01SB
22	Breaker Large 100 x 150mm (4" x 6")	PSB02SB
23	Breaker Large Offset 100 x 150 mm (4" x 6")	PSB03SB
24	Pipe Scraper 5" (125mm)	PSPS01
25	Pipe Scraper 6" (150mm)	PSPS02
26	Pipe Scraper 7" (180mm)	PSPS03
27	Single Angled Scraper120 x 135mm	PSS01SB
28	Twin Angled Scraper120 x 230mm	PSS02SB
29	Wheel Pipe Scraper 8" (200mm)	PSW8
30	Wheel Pipe Scraper 10" (250mm)	PSW10
31	Wheel Pipe Scraper 30" (300mm)	PSW12
32	Power Hammer	PSPH01

FlueBoss® Colourcoded Powersweeping Rods

Designed for effective sweeping of insulated chimneys, flexible flue liners and masonry chimneys.

Powersweeping Rods (full length 1 metre / 3'3")

Rodstation's range of colourcoded FlueBoss® powersweeping equipment holds several patents and design copyrights. Manufactured in the UK from high grade aluminium which is hard colour anodized to increase strength and durability and to help with rod selection for chimney type. The colourcoded rods have a unique 'push fit' connection which is quick and extremely strong. A slight twist of the rod engages the button into position with a reassuring 'click'.



Description	Product Code
1 metre (3'3") Superflexible 8mm Green	PSR01SB
1 metre (3'3") Flexible 10mm Pink	PSR02SB
1 metre (3'3") Flexible 12mm Orange	PSR03SB
1 metre (3'3") Flexible 14mm Red	PSR04SB
1 metre (3'3") Flexible 16mm Grey	PSR05SB
1 metre (3'3") Rigid 18mm Black	PSR06SB
1 metre (3'3") Rigid 20mm Purple	PSR07SB
1 metre (3'3") Rigid Aluminium 20mm Blue	PSR08SB
1 metre (3'3") Rigid 20mm S/Steel fittings	PSRS20SB
1 metre (3'3") Rigid 22mm S/Steel fittings	PSRS22SB



Powersweeping Kits

Colourcoded for easy rod identification, different coloured rods for different flue systems.

(Available as kits – page 12)

'Click'

Quick and easy "push-fit" connectors using push buttons giving time proven security and easy release

Design application EU No. 005323201 US No. 29671444



Powersweeping Half Rods



50cm half length version of the popular FlueBoss® Powersweeping Rods.



Wide range from robust "Superflexy" flexible rods to rigid rods.

Description	Product Code
50cm (20") Superflexible 8mm Green	PSR01SBHR
50cm (20") Flexible 10mm Pink	PSR02SBHR
50cm (20") Flexible 12mm Orange	PSR03SBHR
50cm (20") Flexible 14mm Red	PSR04SBHR
50cm (20") Flexible 16mm Grey	PSR05SBHR
50cm (20") Rigid 18mm Black	PSR06SBHR
50cm (20") Rigid 20mm Purple	PSR07SBHR
50cm (20") Rigid Aluminium 20mm Blue	PSR08SBHR
50cm (20") Rigid 20mm S/Steel	PSRS20SBHR
50cm (20") Rigid 22mm S/Steel	PSRS22SBHR



FlueBoss® Colourcoded Rods Features & Specifications

Gold 9mm	
Applications	Flexible liner/ single/ twinwall/gas/oil
Features	Ideal for 5" to 8" steel flues, lightweight and excellent for restricted access
Diameter	9mm (ferrule diameter 16mm)
Flue Range	2" to 7"
Flexibility	90%
Colour	GOLD
Weight:	120g
Code	PSRM01SB

Green 8mm	
Applications	Biomass/gas/oil
Features	Very high flexibility, restricted access or lead rod and tight bends
Diameter	8mm
Flue Range	3" to 7"
Flexibility	100%
Colour	GREEN
Weight:	140g
Code	PSR01SB

Pink 10mm	
Applications	Flexible liner/ single/ twinwall
Features	High flexibility, lightweight good for bends and flexible liners
Diameter	10mm
Flue Range	3" to 7"
Flexibility	80%
Colour	PINK
Weight:	160g
Code	PSR02SB

Orange 12mm	
Applications	Flexible liner/ single/ twinwall
Features	ldeal for 5" to 8" steel flues, lightweight and great on 6" flues
Diameter	12mm
Flue Range	5" to 8"
Flexibility	70%
Colour	ORANGE
Weight:	205g
Code	PSR03SB

Red 14mm	
Applications	Ceramic Liners
Features	Ideal for ceramic round liners, ducting, drains and unlined flues
Diameter	14mm
Flue Range	8" to 16"
Flexibility	60%
Colour	RED
Weight:	250g
Code	PSR04SB

Grey 16mm	
Applications	Larger masonry flues/ square
Features	ldeal for larger pumice and masonry flues
Diameter	16mm
Flue Range	16" +
Flexibility	40%
Colour	GREY
Weight:	320g
Code	PSR05SB


Black 18mm	
Applications	Larger inglenook flues
Features	Heavy duty rigid ideal for large straight flues, reaming
Diameter	18mm
Flue Range	18" +
Flexibility	30%
Colour	BLACK
Weight:	430g
Code	PSR06SB

Purple 20mm	
Applications	Large Inglenook
Features	ldeal for large inglenook tall flues,reaming
Diameter	20mm
Flue Range	20" +
Flexibility	20%
Colour	PURPLE
Weight:	520g
Code	PSR07SB

Stainless Steel 20mm	
Applications	Large Inglenook/ liner breaking
Features	Heavy duty rigid ideal heavy duty liner breaking and reaming
Diameter	20mm
Flue Range	20" +
Flexibility	15%
Colour	STAINLESS
Weight:	560g
Code	PSRS20SB

Stainless Steel 22mm	
Applications	Large Inglenook/ liner breaking
Features	Heavy duty rigid ideal heavy duty liner breaking and reaming
Diameter	22mm
Flue Range	20"+
Flexibility	10%
Colour	STAINLESS
Weight:	660g
Code	PSRS22SB

Blue 20mm	
Applications	Large Inglenook
Features	Very rigid ideal for tall very wide flues and horizontal ductwork
Diameter	20mm
Flue Range	20" +
Flexibility	5%
Colour	BLUE
Weight:	460g
Code	PSR08SB



FlueBoss[®] Mini





Kit Contents	Qty
1 metre 10mm Superflexi rods	8
Drill connector	1
Adaptor to drill connector	1
FlueBoss Mini head	1
3 metre length of FlueBoss Nylon	1

Description	Product Code
FlueBoss MINI Kit	PSKM01SB





Description	Product Code	
FlueBoss MINI 1 Metre (3'3")	PSRM01SB	
FlueBoss MINI Head	PSNM01SB	
FlueBoss MINI Reducer	PSMA01	
FlueBoss MINI Replacement Nylon 3mm	PSN06SB	
Drill Adaptor	PSDA01SB	
Whitworth Female Adaptor	PSMWA01	
Whitworth Male Adaptor	PSMWA02	
Universal Adaptor	PSMUA01	
FlueBoss MINI 125mm (5" Brush)	PSMBM05	
FlueBoss MINI 155mm (6" Brush)	PSMBM06	

FlueBoss® PowerBrushes







Description	Product Code	
5"/125mm single button Soft	PSMB05	
6"/150mm single button Soft	PSMB06	
7"/180mm single button Soft PSMB07		
8"/200mm single button Soft	PSMB08	
8"/200mm to 14"/350mm single button Soft/Medium	PSMB0814	
10"/250mm to 18"/450mm single button Soft/Medium	PSMB1018	
18"/450mm single button Hard	PSMB18	
18"/450mm single button X-Hard	PSMB18XH	
24"/610mm single button Hard	PSMB24	
24" single button X-Hard	PSMB24XH	

HD Camera Kit - 8 LED



This kit is ideal for checking the inside of chimneys and flue liners with added definition.



Pack includes:

- Heavy duty Rodstation camera carry case
- Camera ball with 4 x rigid and 4 x flexible adjustable arms
- Camera
- Free 16GB Micro SD Card
- 7" HD LCD Display Monitor
- User manual
- USB Cable
- AV-IN Cable
- AV-OUT Cable
- AC Adaptor
- Adapter to ¾ inch Universal Rods & button lock
- Zoom in / Zoom out function

Camera Head

- "Ball" housing to protect the camera featuring adjustable arms to aid the camera through the flue
- Quick fitting of camera ball to Whitworth rod or adaptor to Power sweeping rods
- 90° field of view
- 15 metres (50 ft) of cable
- Ball diameter 2.5" / 65mm
- New side rod mounting

Monitor

- 7 inch Colour LCD screen
- 3 Megapixel resolution
- 9 hours recording time
- Seamless loop recording
- Photo function
- Supports Micro SD Card for recording video and photo

Handy Storage Case





Description	Product Code	
Portable Inspection Camera HD	PCHD01	

Superbright HD Camera Kit

For inspecting larger flues with unique self-centralising housing.

Auto focus camera and 16 extra bright LED lights for great colour images.



Kit supplied in Case includes:

Case

- · Camera with lights in unique ball head
- 18 metre cable for connection to monitor
- 2 sets of flexible quick fit centralising arms
- 7" HD LCD colour monitor with 16GB micro SD card for recording
- Adaptor to ¾ inch Universal rods
- AC Adaptor and USB cable
- User manual and handy case
- Cable management reel (PCHD03 only)

Monitor

- 7 inch Colour LCD screen
- 5 megapixel resolution
- 18 metre (60 ft) cable for connection to monitor
- Up to 9 hours recording time on SD card
- · Seamless loop recording
- Photo function
- Supports Micro SD card for recording

Camera Head

- Unique ball camera housing fits standard rods in 4 screw in positions to give different views in flue
- Auto focus in varying light conditions
- 2 sets of flexible arms to centralise camera ball in flue. Small set 25cm diameter, large up to 45cm
- Camera up to 120 degree angle of view
- Quick fitting to standard ½ inch Whitworth rods
- Ball diameter 3" / 75mm

Description	Product Code
Superbright HD Camera Kit	PCHD02
Superbright HD Camera Kit with Reel	PCHD03



Camera Head

- "Ball" housing to protect the camera featuring adjustable arms to aid the camera through the flue
- Quick fitting of camera ball to Whitworth rod or adaptor to Power sweeping rods
- 90° field of view
- High brightness LED offers long visible range up to 5 metres.
- Ball diameter 2.5" / 65mm

- 5- inch rechargeable HD Display Monitor
- 10 hours recording time
- · Seamless loop recording
- 15m wireless transmission range (subject to chimney construction)
- Photo function
- Supports Micro SD Card for recording video

Pack includes:

- Heavy duty Rodstation camera carry case
- Camera ball with 4 x rigid and 4 x flexible adjustable arms
- · Wireless camera
- Free 16GB Micro SD Card
- 5" HD Display Monitor
- User manual
- USB Cable
- AV-IN Cable
- AV-OUT Cable
- AC Adaptor
- Adapter to ¾ inch Universal Rods







Description	Product Code
Portable Inspection Camera	PC01
Wired 15m Camera	PCWC01

Meeco's Red Devil



Fire Safety and Maintenance Products

MEECO have appointed Rodstation as the exclusive distributors for the UK and Europe for their range of proven products aimed at reducing and stopping chimney fires.

Founded in 1937, MEECO are well known in the USA for manufacturing a wide range of safety and maintenance products for wood and solid fuel burning. They have built a reputation for high quality and service. Originally the United States Department of Natural Resources contracted them to develop a product for the removal of soot from wood-burning generators and power plants, which they then launched under the MEECO's Red Devil trademark.



FireEx

The MEECO FireEx is quick and easy to use. At the first sign of a chimney fire simply toss into the firebox and the chimney fire stops within minutes. The FireEX is not a flare and works without any pre ignition. The FireEx has been performance tested using creosotefuelled chimney fires and will not cause any water damage. Suitable for use on Stoves, Fireplace Inserts and Fireplaces.

Watch a video demonstration of the FireEx in action on Rodstation's YouTube Channel.

Description	Product Code	
FireEx	MFX01	
FireEx Box Of 6	MFX06	



Powdered Creosote Destroyer

This Powdered Creosote Destroyer is specially formulated to control creosote build-up in wood and coal stoves, when it is put on a fire. It works as a catalyst destroying the binder holding the creosote particles together. Regular removal of creosote build-up can help to prevent chimney fires.

Description	Product Code	
Tub Creosote Destroyer 2lb	MCD02	
Tub Creosote Destroyer 5lb	MCD05	



ColorGlo Flames

MEECO ColorGlo Flames add a rainbow of colours to your fireplace, woodstove or campfire. 2-3 cones will burn for 10-12 minutes. Each box contains at least 30 cones.

Description	Product Code	
ColourGlo Fire Cones	MFC01	

Chimney Sweep Accessories



RodStation stock a range of chimney sweep accessories to make the job as easy and as clean as possible.



		CANCEL CO.
Item	Description	Product Code
Α	25 x Grey Smoke Pellets	SPG25
В	50 x Grey Smoke Pellets	SPG50
С	10 x Orange Smoke Pellets	SPHV10
D	50 x Orange Smoke Pellets	SPHV50
E	Smoke Matches x25	SPM25
F	50 x 8g Encapsulated White Smoke Pellets	SP525
G	Smoke Pellet & Match Holder	SPH01

Sweep Through Sheets

with sleeve opening for rod access.



Stove Pipe Sweep Sheets

with sleeve opening for rod access. Velcro fitting for 5 and 6" or 8 and 9" fluepipe. Dust Sheet, Hearth Sheets and Floor Runners

plain dust sheet made from hard wearing fabric.

J,K K,L,M,N,O,P

ltem	Description	Size	Product Code
G	Sweep through sheet - small	125 x 125 cm	SDS01
Н	Sweep through sheet - medium	150 x 150 cm	SDS02
I	Sweep through sheet - large	180 x 180 cm	SDS03
J	5 & 6" stove pipe soot sheet	45 x 52 cm	SDSM04
K	8 & 9" stove pipe soot sheet	45 x 52 cm	SDSM05
L	Dust sheet XL	270 x 360 cm	SDSF01
М	Hearth sheet – Small	90 x 135 cm	SDSH01
N	Hearth sheet – Medium	135 x 180 cm	SDSH02
0	Hearth sheet – Large	180 x 270 cm	SDSH03
Р	Floor runner	75 x 360 cm	SDFR01

Chimney Sweep Accessories

Item	Description	Product Code
Q	Mega Duct Tape 50mm £5.08	ACDT01
R	Masking Tape 50mm	ACMT01
S	Latex Gloves box of 100	ACLG01
Т	Disposable Overshoe covers box of 100	ACOS100
U	Multi Use Wonder Wipes tub of 100	ACWW100
V	Rigid Inspection Mirror 37cm	ACRIM01
W	Flexible Inspection Mirror 47cm	ACFIM01
X	Metal Dustpan 32cm	ACDP01
Υ	Soft Brush 28cm	ACSB01
Z	Hand Shovel 27cm	ACHS01



Supplied in handy dispenser box.



Mega Duct Tape

Heavy Duty duct tape. 50mm wide x 50m.



Disposable Overshoe Covers

One size, polyethylene resistant to damp, liquid splashes and dirt. Supplied in handy dispenser box.



Multi Use Wonder Wipes

Specially formulated to clean hands, tools and surfaces. Ideal for cleaning chimney rods and equipment after sweeping.





Inspection Mirrors

Give good visibility in concealed areas. Available withe fully flexible head or shaft.




Heavy duty sheet metal enclosed dustpan. 320mm.



Soft Brush

280 mm.



Dustcontrol



Rodstation are main dealers for the Dustcontrol range of extractors which are ideal for fine dust and ash extraction.



Item	Description	Product Code
Α	Dustcontrol DC1800B Kit (includes all of the above components)	DC1800B
В	Dustcontrol DC1800D Kit (with 40L drum, no wheels)	DC1800D
С	Steel Hand pipe- 38mm	DC7262
D	Crevice Tool	DC7472
E	Chimney Sweep Brush	DC0053-1
F	HEPA H13 - Micro Filter	DC42027
G	Pre- Filter- Cellulose	DC42029
Н	DC1800 - Sacks (Pack of 10)	DC42291
I	Hose Connector (allows hose to be cut and reconnected)	DC2169



It is a legal requirement that the installation of a chimney, flue lining and/or a combustion appliance complies with the Building Regulations. Approved Document J 2010 explains the requirement for England and Wales.


Chimney Notice Plates

The requirement to provide a Notice plate is described in the following extract from ADJ 2010.

"1.57 Where a hearth, fireplace, (including a flue box), flue or chimney is provided or extended (including cases where a flue is provided as part of the refurbishment work), information essential to the correct application and use of these facilities should be permanently posted in the building. A way of meeting this requirement would be to provide a notice plate as shown in Diagram 16 conveying the following information.

Data plate includes the required details and is made from metal to comply with the requirement for a durable plate to be used. It is 110mm x 110mm and has a matt aluminium finish for writing in the details with a permanent marker pen.

The installer is considered to be responsible for providing the completed notice plate and fixing it next to the chimney or hearth described; or next to the water supply stop-cock or electricity consumer unit.



CO Alarms

Requirements to fit CO Alarms

When installing a solid fuel or wood burning stove it is a legal requirement to fit a carbon monoxide alarm in the same room. This is a new requirement in the 2010 ADJ, which says:

2.36 The carbon monoxide alarm should be located in the same room as the appliance:


 a. on the ceiling at least 300mm from any wall or, if it is located on a wall, as high up as possible (above any doors and windows) but not within 150mm of the ceiling; and

b. between 1m and 3m horizontally of the appliance.

We stock and sell the **Honeywell XC70 alarm** that has a 7 year warranty and battery life. It is certified to BS EN 50291 and listed by HETAS. The slim line unit is easily fitted using 2 plugs & screws.



Description	Product Code
XC70 CO Alarm x 1	ACCO1
XC70 CO Alarm x 10	ACCO10
XC70 CO Alarm x 25	ACCO25



Unit 42 Vale Business Park, Cowbridge, Vale of Glamorgan, CF71 7PF
Tel: 01446 500695 | Email: sales@rodstation.co.uk

All offers and supplies are subject to our standard terms and conditions of sale shown on our website.

E & O excepted. All prices subject to VAT and change.

The names Rodstation, Flueboss and TwinClip are trademarks of RodStation Limited.

This brochure, contents and images are Copyright of RodStation September 2021.